#### **NITIN CORPORATION**

402, 4<sup>th</sup> Floor, Bezzola Commercial Complex, Sion – Trombay Road, Chembur, Mumbai – 400071, India.

WEB: <u>www.corponit.com</u> E – MAIL: <u>enquiry@corponit.com</u>

nitincorporation@yahoo.com

FAX : +91 - 22 - 25235386

PH (O): +91 - 22 - 25234478/67973677

# THE FOLLOWING BACK PRESSURE TYPE STEAM TURBINE GENERATOR SET IS AVAILABLE FOR SALE WITH US WITH IMMEDIATE DELIVERY:

## 1 No. – 13 MW Back Pressure type Steam Turbine Generator Set with Single Controlled Extraction having the following Technical Specifications:



Year of Manufacture :1989 Year Retired :2014

Condition :Very Good

**Status** : Installed on Foundation

#### **STEAM TURBINE DETAILS:**

**Rated Power:** 

Normal :9,200 kW Maximum Cont :13,000 kW

**Inlet Flow:** 

Normal :80,000 kg/h Maximum Cont :110,000 kg/h

**Spec. Steam Cons.:** 

Normal Power :8.7 kg/kWh Max. Cont. Power :8.46 kg/kWh

**Inlet Pressure:** 

Normal :57 bar abs. Maximum Cont :67 bar abs.

**Inlet Temperature:** 

Normal :445 C Maximum Cont :460 C

**Extraction Conditions:** 

Flow :0 - 25,000 kg/h Pressure :13.5 bar abs.

**Exhaust Pressure:** 

Minimum :4.2 bar abs.
Normal :5.2 bar abs.
Maximum Cont :6.7 bar abs.

**Exhaust Temp.:** 

Normal :186 C

Rated Speed :9,500 RPM

**GEARBOX DETAILS:** 

Rated Power :14,935 kW

Input Speed :9,500 RPM

Output Speed :1,500 RPM



### **GENERATOR DETAILS:**

Rated Power :18,125 kVA

Power Factor :0.8

Active Power :14,500 kW

Rated Voltage :6,300 V

Rated Current :1,661 A

Phases :3

Rated Speed :1,500

Frequency :50 Hz

Protection :IP54

Insulation Class :F/F

